

SAINT-GOBAIN MEDICAL

Disc Filters Inlet/Outlet Fittings



Reliable connections, seamless integration

Prioritize the reliability of connections, and the ease of filter installation, with the unparalleled selection of inlet/outlet fittings offered by Saint-Gobain.

Fittings for our disc filters can be grouped into categories of:



Hose Barbs



Luer



Threaded



Quick Connects



Push-to-Connect



Tri-Clamps

We can also accommodate customer-specific fittings.

Consult with the experts at Saint-Gobain Medical to determine the appropriate configuration and fittings for your application.

ADVANTAGES OF CUSTOMIZATION

- Create a poka-yoke to prevent incorrect installation
- Valved fittings can mitigate the loss of a valuable solution during filter change outs
- Quick connect fittings can improve ease of use and/or ease of filter change outs
- Eliminate the need for complex and costly adapters
- Customer-specific fittings can serve to protect OEMs from aftermarket competitors

Fitting options for disc filters

The table below provides an overview of the inlet/outlet fitting options available for our disc filters. However, not all fitting options are displayed here. **Consult with the experts** at Saint-Gobain Medical to determine the appropriate configuration and fittings for your application.

Fitting Description		D4	D13	D25	D40	D50	G50	D65	D90	RD65
Hose barb fittings										
OH	1/16" Hose barb		•	^	^					
AH	3/32" Hose barb		•	•	•					
1H	1/8" Hose barb		•	•	^	^		^	^	^
2H	1/4" Hose barb			^	^	^	^	^	^	^
3H	3/8" Hose barb			^	^		^	^	^	^
4H	1/2" Hose barb							•	•	^
5H	9/16" Hose barb								^	
Luer fittings										
LF	Female luer lock	•	•	•	•	•	•	•	•	•
LM	Male luer lock	•	•	•	•	•		•	•	•
LS	Luer lock male slip	•	•	•	•	•				
Threaded fittings										
1N	1/8" MNPT			•	•	•	•			
1NF	1/8" FNPT					•	•	•	•	•
2N	1/4" MNPT					•	•	•	•	
2NF	1/4" FNPT					•	•	•		•
2UF	1/4" - 28 Thread female			•	•					
3N	3/8" MNPT							•		
3NF	3/8" FNPT							•		•
Quick connect fittings										
1Q	1/8" male quick connect for metal latch		•	•	•	•	•	•	•	•
1QV	1/8" male valved quick connect for metal latch					•		•	•	
1QF	1/8" female quick connect with metal latch					•	•	•	•	
1QVF	1/8" female valved quick connect with latch					•		•	•	
2Q	1/4" male quick connect for metal latch					•	•	•	•	•
2QV	1/4" male valved quick connect for metal latch							•	•	
2QF	1/4" female quick connect with metal latch							•	•	
2QFV	1/4" female valved quick connect with metal latch							•	•	
Push-to-connect fittings										
2P	1/4" Push to connect					•		•	•	
2PE	1/4" Push to connect elbow					•		•	•	
1C	1/8" Compression			•	•					
Tri-clamp fittings										
MT	1/2" Tri-clamp						•	•	•	
TC	1 1/2" Tri-clamp							•	•	

Note: Not all fittings are available for all filter sizes. Not all fittings are available at the inlet and/or outlet (for example, D4 filters are only available with inlet/outlet fittings of LFLM and LMLS). Consult with the experts at Saint-Gobain Medical to learn more.

- Fitting is available (if it is a hose barb, it is a single hose barb)
- ^ Fitting is available (if it is a hose barb, it is a stepped hose barb)

Saint-Gobain Performance Plastics Corporation's Life Science ("Saint-Gobain") products that are used as components in the manufacture of any Medical Devices (as defined by the FDA) are sold by Saint-Gobain only and exclusively to Medical Device manufacturers for use in the manufacture, assembly or distribution of their medical devices. Medical Device manufacturers, to whom Saint-Gobain sells components or for whom Saint-Gobain acts as a subcontractor for finished products, are solely responsible for determining whether their finished products are a medical device and complying with the appropriate certifications and registrations.

NOTE: This document is intended to provide information about the product to enable you to consider whether generally the Product meets your application need and is not intended to provide product specification. This document should not be considered a Product warranty or guaranty. To the extent this document mentions any tests done by Saint-Gobain, such tests are done under controlled laboratory circumstances and hence other factors in your use and application may impact such values.

FLS-5400-0125-LSMC // © 2025 SAINT-GOBAIN PERFORMANCE PLASTICS

